


**TOYS - CRIB AND PLAYPEN TOYS**

TEST DESCRIPTION	REGULATION/TEST METHOD	REQUIREMENTS		
<b>MANDATORY</b>				
Label Verification	F.P. & L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	Manufacturer, packer, or distributor's name & address (city, state & zip)		
		Product Identification		
		Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).		
Tracking labels for children's products	Consumer Product Safety Improvement Act of 2008	A permanent and distinguishing mark on the product and its packaging, to the extent practicable, enabling the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product.		
Country of Origin Marking	19 CFR 134.11	Shall indicate country of origin legibly, permanently, and incomparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.		
Age Grading	ASTM F963-current version	<ul style="list-style-type: none"> <li>The toy shall be labelled to indicate the minimum age for intended use, or have such labelling on any retail packaging.</li> <li>For certain toys, such as costumes and riding toys, it may also be appropriate to label in terms of height or weight limitations.</li> </ul>		
Total Lead Content of Paints or Similar Surface Coating	16 CFR 1303	≤90ppm		
Illinois lead content in surface coatings	Illinois Lead Poisoning Prevention Act	≤40ppm		
Total Lead Content of Accessible Component Part	CPSIA of 2008 Section 101	≤100 ppm		
Soluble Heavy Metals Content	ASTM F963-current version	Antimony (Sb) 60, Arsenic (As) 25, Barium (Ba) 1000, Cadmium (Cd) 75, Chromium (Cr) 60, Lead (Pb) 90, Mercury (Hg) 60, Selenium (Se) 500		
Mechanical hazard - abuse testing - for toys for children up to 96 months	ASTM F963-current version  16 CFR 1500.50-53)	Report Components Tested.		
		Report component breakage or failure.		
		Requirement: No sharp edges /sharp points and small part.		
		<b>Test</b>	<b>Age (months)</b>	<b>Force</b>
		Drop test	0-18	10 × 4.5 ft ± 0.5 in.
			Over 18 - 36	4 × 3.0 ft ± 0.5 in.
			Over 36 - 96	4 × 3.0 ft ± 0.5 in.
		Torque test	0-18	2 ± 0.2 in.lbf
			Over 18 - 36	3 ± 0.2 in.lbf
			Over 36 - 96	4 ± 0.2 in.lbf
		Tension Test	0-18	10 ± 0.5 lbf
			Over 18 - 36	15 ± 0.5 lbf
			Over 36 - 96	15 ± 0.5 lbf
Compression test	0-18	20 ± 0.5 lbf		
	Over 18 - 36	25 ± 0.5 lbf		
	Over 36 - 96	30 ± 0.5 lbf		
Flexure test	0-18	10 ± 0.5 lbf		
	Over 18 - 36	15 ± 0.5 lbf		
	Over 36 - 96	15 ± 0.5 lbf		

TEST DESCRIPTION	REGULATION/TEST METHOD	REQUIREMENTS
Phthalates	CPSIA sect. 108 Test method: CPSC-CH-C1001-09.3	- DEHP, DBP or BBP (For accessible plasticized material) Each ≤ 0.1% (1000 ppm) - DIDP, DINP or DNOP (For accessible plasticized material that can be placed in a child’s mouth) Each ≤ 0.1% (1000 ppm) <b>Starting on 25-Apr-2018:</b> <b>8 Phthalates</b> DEHP, DBP, BBP, DINP, DIBP, DPENP, DHEXP, DCHP Each ≤ 0.1% <b>Exempted Plastics:</b> - Polypropylene (PP) - Polyethylene (PE) - Acrylonitrile Butadiene Styrene (ABS) - High impact polystyrene (HIPS) - Crystal and general-purpose polystyrene - Medium-impact polystyrene (MIPS) - Super-high-impact polystyrene (SHIPS)
Small Parts	16 CFR 1501	Toys intended for children under 36 months (3 years) of age shall not include removable, liberated components, or fragments of toys before or after use and abuse
Accessible Sharp Points / Sharp Edges	16 CFR 1500.48/49	Shall not contain any hazardous sharp edges before and after use and abuse tests, if intended for children under 8 years of age.
California Prop 65	Warning label or applicable testing	In lieu of warning label, product should meet all applicable Prop 65 requirements.
Flammability	ASTM F963-current ver. 16 CFR 1500.44	Less Than 0.1”/Sec.
Age Grading	ASTM F963-current version	Toys intended to be strung across a crib or playpen by means of a string, cord, elastic, or straps (including but not limited to, crib exercisers, crib gyms, and activity toys) & its packaging shall be labeled: <b>“From birth to 5 months”</b> .
Safety Labeling	ASTM F963-current version	Toys intended to be strung across a crib or playpen by means of a string, cord, elastic, or straps (including but not limited to, crib exercisers, crib gyms, and activity toys) shall carry safety labeling on its packaging: WARNING:  WARNING: Possible entanglement or strangulation. Remove toy when baby begins to push up on hands and knees. (Or equivalent text)
<b>MANDATORY STATES REGULATIONS</b>		
Total heavy metals in packaging	Toxics in Packaging Clearinghouse (TPCH)	Packaging shall not contain the sum of mercury, cadmium, lead and chromium (VI) in concentration above 0.01% by weight.
Plastic Bag Warnings	Various state laws	Plastic bags with a thickness of less than 1 mil (0.001 inch) having an opened end larger than 5 inches in diameter shall contain the following warning statement or equivalent: <b>WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy.</b>
Flame Retardants	Various state laws	<b>Not Detected.</b> Polybrominated biphenyls (PBBs), Penta-bromodiphenyl ether (pentaBDE) Octa-bromodiphenyl ether (octaBDE) Tris (2,3-dibromopropyl) phosphate (TRIS) Decabromodiphenyl ether (DecaBDE) Tris(2-chloroethyl) phosphate (TCEP) Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)



TEST DESCRIPTION	REGULATION/TEST METHOD	REQUIREMENTS															
Washington lead, cadmium and phthalates on children's product	Washington Children's Safe Products Act (CSPA)	≤40 ppm Cadmium; ≤90 ppm Lead; ≤1000 ppm Phthalates (combined).															
New York Toxic chemicals in children's products	The Toxic Free Toys Act (Albany, Suffolk County)	<table border="1"> <thead> <tr> <th data-bbox="773 359 1109 401">Compound</th> <th data-bbox="1109 359 1382 401">Max. levels in ppm</th> </tr> </thead> <tbody> <tr> <td data-bbox="773 401 1109 432">Antimony</td> <td data-bbox="1109 401 1382 432">60 (soluble)</td> </tr> <tr> <td data-bbox="773 432 1109 464">Arsenic</td> <td data-bbox="1109 432 1382 464">25 (soluble)</td> </tr> <tr> <td data-bbox="773 464 1109 495">Cadmium</td> <td data-bbox="1109 464 1382 495">75 (soluble)</td> </tr> <tr> <td data-bbox="773 495 1109 527">Lead in surface coating</td> <td data-bbox="1109 495 1382 527">90 (soluble)</td> </tr> <tr> <td data-bbox="773 527 1109 558">Lead in substrates</td> <td data-bbox="1109 527 1382 558">100 (total)</td> </tr> <tr> <td data-bbox="773 558 1109 592">Mercury</td> <td data-bbox="1109 558 1382 592">60 (Soluble)</td> </tr> </tbody> </table>	Compound	Max. levels in ppm	Antimony	60 (soluble)	Arsenic	25 (soluble)	Cadmium	75 (soluble)	Lead in surface coating	90 (soluble)	Lead in substrates	100 (total)	Mercury	60 (Soluble)	
		Compound	Max. levels in ppm														
		Antimony	60 (soluble)														
		Arsenic	25 (soluble)														
		Cadmium	75 (soluble)														
		Lead in surface coating	90 (soluble)														
Lead in substrates	100 (total)																
Mercury	60 (Soluble)																