



**BLANKET/THROW/BEDSPREAD WITH NO Fill**  
**(Adult and Children's Over 3 Years of Age)**

Number: BURL-002  
 Creation Date: 12/19/2017  
 Revision Date: 5/15/2018  
 Created by: Legal Dept.

TEST DESCRIPTION	REGULATION/TEST METHOD	REQUIREMENTS
<b>MANDATORY</b>		
Label Verification - Fiber Content - Country of Origin - Registration Number (RN) or Wool products Registration Number (WPL)	All Federal & State Requirements	Must Comply
Fiber Content	AATCC 20/20A	Single fiber $\pm$ 0.0% Blends $\pm$ 3.0%
Package Label Verification	F.P. & L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	Manufacturer, packer, or distributor's name & address (city, state & zip)
		Product Identification Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).
California Prop 65	Warning label or applicable testing	In lieu of warning label, product should meet all applicable Prop 65 requirements.
<b>ADDITIONAL MANDATORY TESTS FOR CHILDREN'S PRODUCT</b>		
Total Lead Content in Substrate Material	CPSC-CH-E1001-08.1 (metallic substrates) CPSC-CH-E1002-08.1 (nonmetallic substrates)	$\leq$ 100 ppm - Exclude mill-dyed and mill printed fabrics and threads. - Exclude Natural material in natural state, treated without added lead or substrate with coating removed e.g. leather or fur
Total Lead in Surface Coating	16 CFR 1303	$\leq$ 90ppm All accessible coating
Sharp Points/Sharp Edges (under 8 years of age)	16 CFR 1500.48/49	Not allowed
Tracking labels for children's products	Consumer Product Safety Improvement Act of 2008	A permanent and distinguishing mark on the product and its packaging, to the extent practicable, enabling the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product.
Lead, cadmium and phthalates on children's product	Washington Children's Safe Products Act (CSPA)	$\leq$ 40 ppm Cadmium; $\leq$ 90 ppm Lead; $\leq$ 1000 ppm Phthalates (combined).
New York Toxic chemicals in children's products	The Toxic Free Toys Act (Albany, Suffolk County)	<b>Compound</b>
		Antimony
		Arsenic
		Cadmium
		Lead in surface coating
		Lead in substrates
		<b>Max. levels in ppm</b>
		60 (soluble)
		25 (soluble)
		75 (soluble)
		90 (soluble)
		100 (total)
		60 (Soluble)
<b>STATE'S MANDATORY REGULATIONS</b>		
Total heavy metals in packaging	Toxics in Packaging Clearinghouse (TPCH)	Packaging shall not contain the sum of mercury, cadmium, lead and chromium (VI) in concentration above 0.01% by weight.



Plastic Bag Warnings	Various state laws	Plastic bags with a thickness of less than 1 mil (0.001 inch) having an opened end larger than 5 inches in diameter shall contain the following warning statement or equivalent: <b>WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy.</b>
Flame Retardants	Various state laws	<b>Not Detected.</b> Polybrominated biphenyls (PBBs), Penta-bromodiphenyl ether (pentaBDE) Octa-bromodiphenyl ether (octaBDE) Tris (2,3-dibromopropyl) phosphate (TRIS) Decabromodiphenyl ether (DecaBDE) Tris(2-chloroethyl) phosphate (TCEP) Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)
<b>OPTION (QUALITY &amp; PERFORMANCE)</b>		
Care Labeling	FTC regulation	Must Comply
Formaldehyde (Spot Test)	AATCC 94	No Trace If trace is found - proceed with full testing
Formaldehyde	JIS 1041 LAW 112	Adult: <75 ppm Children: <20 ppm
General Appearance After Laundering 5 Home Launderings or 1 Dry Cleaning Per Care Instructions	Visual Evaluation	- No open raveling, open seams, or tufting damage. - No obvious defects/observations affecting the end product performance/appearance. - Color Change: Grade 4 - Self staining: Grade 4 - List all observations
Dimensional Stability	AATCC 150 / 158	3 Home Laundering/1 Drycleaning: Flannel & Knits: -5% x -5% Max. All other: -3% x -3% Max. Growth: +1% x +1% Max.
Colorfastness to Laundering/ Dry Cleaning	AATCC 107	Shade Change: Grade 4 minimum Staining: Grade 3 minimum Self –Staining: Grade 5/ No Self Staining
Colorfastness to Crocking	AATCC 8/116	Dry: Grade 4 minimum Wet: Grade 3 minimum
Colorfastness to Non-Chlorine Bleach	AATCC TS 001	Grade 4 minimum
Tensile Strength (Wovens)	ASTM D5034	45 lb. Minimum
Tear Strength (Wovens)	ASTM D1424	2.5 lb. Minimum
Bursting Strength (Knits)	ASTM D3786	Fabric: 45 psi minimum Seams: 35 psi minimum
Pilling Resistance (30 min)	ASTM D3512	Grade 3.5 minimum
Torque (Knits only)	AATCC 179 Method 2, Option 3	5.0% Max
Attachment Strength Snaps Buttons, Shanks, Rivets, etc. Hand-Sewn Beads, Sequins, etc.	ASTM D7142 Opt. 2 16 CFR 1500.50-53 16 CFR 1500.50-53	15 lb. / 10 sec. 15 lb. / 10 sec. 5 lb. / 10 sec